

IMPERIAL 'O' RINGS

Our Standard O'Rings are made from Nitrile Rubber N70 and have good resistance to Petroleum Oils, Alcohols, Alkaline Solutions, Salt, Gasolines, Glycols and Water. The safe operating Temperature is -40 to +250F. Alternative Materials available are: VITON, ETHYLENE-PROPYLENE, NEOPRENE and SILICON.

| PART NO | TO SUIT SHAFT | TO SUIT HOUSING | SECTION DIA | PART NO | TO SUIT SHAFT | TO SUIT HOUSING | SECTION DIA |
|---------|------------------|--------------------|----------------|---------|------------------|--------------------|----------------|
| -006 | 1/8 | 1/4 | 1/16 | -118 | 7/8 | 1. 1/16 | 3/32 |
| -007 | 5/32 | 9/32 | 1/16 | -119 | 15/16 | 1. 1/8 | 3/32 |
| -008 | 3/16 | 5/16 | 1/16 | -120 | 1 | 1. 3/16 | 3/32 |
| -009 | 7/32 | 11/32 | 1/16 | -121 | 1. 1/16 | 1. 1/4 | 3/32 |
| -010 | 1/4 | 3/8 | 1/16 | -122 | 1. 1/8 | 1.15/16 | 3/32 |
| -011 | 5/16 | 7/16 | 1/16 | -123 | 1. 3/16 | 1. 3/8 | 3/32 |
| -012 | 3/8 | 1/2 | 1/16 | -124 | 1. 1/4 | 1. 7/16 | 3/32 |
| -013 | 7/16 | 9/16 | 1/16 | -125 | 1. 5/16 | 1. 1/2 | 3/32 |
| -014 | 1/2 | 5/8 | 1/16 | -126 | 1. 3/8 | 1. 9/16 | 3/32 |
| -015 | 9/16 | 11/16 | 1/16 | -127 | 1. 7/16 | 1. 5/8 | 3/32 |
| -016 | 5/8 | 3/4 | 1/16 | -128 | 1. 1/2 | 1.11/16 | 3/32 |
| -017 | 11/16 | 13/16 | 1/16 | -129 | 1. 9/16 | 1. 3/4 | 3/32 |
| -018 | 3/4 | 7/8 | 1/16 | -130 | 1. 5/8 | 1.13/16 | 3/32 |
| -019 | 13/16 | 15/16 | 1/16 | -131 | 1.11/16 | 1. 7/8 | 3/32 |
| -020 | 7/8 | 1 | 1/16 | -132 | 1. 3/4 | 1.15/16 | 3/32 |
| -021 | 15/16 | 1. 1/16 | 1/16 | -133 | 1.13/16 | 2 | 3/32 |
| -022 | 1 | 1. 1/8 | 1/16 | -134 | 1. 7/8 | 2. 1/16 | 3/32 |
| -023 | 1. 1/16 | 1. 3/16 | 1/16 | -135 | 1.15/16 | 2. 1/8 | 3/32 |
| -024 | 1. 1/8 | 1. 1/4 | 1/16 | -136 | 2 | 2. 3/16 | 3/32 |
| -025 | 1. 3/16 | 1. 5/16 | 1/16 | -137 | 2. 1/16 | 2. 1/4 | 3/32 |
| -026 | 1. 1/4 | 1. 3/8 | 1/16 | -138 | 2. 1/8 | 2. 5/16 | 3/32 |
| -027 | 1. 5/16 | 1. 7/16 | 1/16 | -139 | 2. 3/16 | 2. 3/8 | 3/32 |
| -028 | 1. 3/8 | 1. 1/2 | 1/16 | -140 | 2. 1/4 | 2. 7/16 | 3/32 |
| -029 | 1. 1/2 | 1. 5/8 | 1/16 | -141 | 2. 5/16 | 2. 1/2 | 3/32 |
| -030 | 1. 5/8 | 1. 3/4 | 1/16 | -142 | 2. 3/8 | 2. 9/16 | 3/32 |
| -031 | 1. 3/4 | 1. 7/8 | 1/16 | -143 | 2. 7/16 | 2. 5/8 | 3/32 |
| -032 | 1. 7/8 | 2 | 1/16 | -144 | 2. 1/2 | 2.11/16 | 3/32 |
| -033 | 2 | 2. 1/8 | 1/16 | -145 | 2. 9/16 | 2. 3/4 | 3/32 |
| -034 | 2. 1/8 | 2. 1/4 | 1/16 | -146 | 2. 5/8 | 2.13/16 | 3/32 |
| -035 | 2. 1/4 | 2. 3/8 | 1/16 | -147 | 2.11/16 | 2. 7/8 | 3/32 |
| -036 | 2. 3/8 | 2. 1/2 | 1/16 | -148 | 2. 3/4 | 2.15/16 | 3/32 |
| -037 | 2. 1/2 | 2. 5/8 | 1/16 | -149 | 2.13/16 | 3 | 3/32 |
| -038 | 2. 5/8 | 2. 3/4 | 1/16 | -150 | 2. 7/8 | 3. 1/16 | 3/32 |
| -039 | 2. 3/4 | 2. 7/8 | 1/16 | -151 | 3 | 3. 3/16 | 3/32 |
| -040 | 2. 7/8 | 3 | 1/16 | -152 | 3. 1/4 | 3. 7/16 | 3/32 |
| -041 | 3 | 2. 1/8 | 1/16 | -153 | 3. 1/2 | 3.11/16 | 3/32 |
| -042 | 3. 1/4 | 3. 3/8 | 1/16 | -154 | 3. 3/4 | 3.15/16 | 3/32 |
| -043 | 3. 1/2 | 3. 5/8 | 1/16 | -155 | 4 | 4. 3/16 | 3/32 |
| -044 | 3. 3/4 | 3. 7/8 | 1/16 | -156 | 4. 1/4 | 4. 7/16 | 3/32 |
| -045 | 4 | 4. 1/8 | 1/16 | -157 | 4. 1/2 | 4.11/16 | 3/32 |
| -046 | 4. 1/4 | 4. 3/8 | 1/16 | -158 | 4. 3/4 | 4.15/16 | 3/32 |
| -047 | 4. 1/2 | 4. 5/8 | 1/16 | -159 | 5 | 5. 3/16 | 3/32 |
| -048 | 4. 3/4 | 4. 7/8 | 1/16 | -160 | 5. 1/4 | 5. 7/16 | 3/32 |
| -049 | 5 | 5. 1/8 | 1/16 | -161 | 5. 1/2 | 5.11/16 | 3/32 |
| -050 | 5. 1/4 | 5. 3/8 | 1/16 | -162 | 5. 3/4 | 5.15/16 | 3/32 |
| -110 | 3/8 | 9/16 | 3/32 | -163 | 6 | 6. 3/16 | 3/32 |
| -111 | 7/16 | 5/8 | 3/32 | -164 | 6. 1/4 | 6. 7/16 | 3/32 |
| -112 | 1/2 | 11/16 | 3/32 | -165 | 6. 1/2 | 6.11/16 | 3/32 |
| -113 | 9/16 | 3/4 | 3/32 | -166 | 6. 3/4 | 6.15/16 | 3/32 |
| -114 | 5/8 | 13/16 | 3/32 | -167 | 7 | 7. 3/16 | 3/32 |
| -115 | 11/16 | 7/8 | 3/32 | -168 | 7. 1/4 | 7. 7/16 | 3/32 |
| -116 | 3/4 | 15/16 | 3/32 | -169 | 7. 1/2 | 7.11/16 | 3/32 |
| -117 | 13/16 | 1 | 3/32 | -170 | 7. 3/4 | 7.15/16 | 3/32 |
| | | | | -171 | 8 | 8. 3/16 | 3/32 |

IMPERIAL 'O' RINGS (Continued)

| PART NO | TO SUIT SHAFT | TO SUIT HOUSING | SECTION DIA | PART NO | TO SUIT SHAFT | TO SUIT HOUSING | SECTION DIA |
|---------|------------------|--------------------|----------------|---------|------------------|--------------------|----------------|
| -172 | 8. 1/4 | 8. 7/16 | 3/32 | -261 | 6. 3/4 | 7 | 1/8 |
| -173 | 8. 1/2 | 8.11/16 | 3/32 | -262 | 7 | 7. 1/4 | 1/8 |
| -174 | 8. 3/4 | 8.15/16 | 3/32 | -263 | 7. 1/4 | 7. 1/2 | 1/8 |
| -175 | 9 | 9. 3/16 | 3/32 | -264 | 7. 1/2 | 7. 3/4 | 1/8 |
| -176 | 9. 1/4 | 9. 7/16 | 3/32 | -265 | 7. 3/4 | 8 | 1/8 |
| -177 | 9. 1/2 | 9.11/16 | 3/32 | -266 | 8 | 8. 1/4 | 1/8 |
| -178 | 9. 3/4 | 9.15/16 | 3/32 | -267 | 8. 1/4 | 8. 1/2 | 1/8 |
| -210 | 3/4 | 1 | 1/8 | -268 | 8. 1/2 | 8. 3/4 | 1/8 |
| -211 | 13/16 | 1. 1/16 | 1/8 | -269 | 8. 3/4 | 9 | 1/8 |
| -212 | 7/8 | 1. 1/8 | 1/8 | -270 | 9 | 9. 1/4 | 1/8 |
| -213 | 15/16 | 1. 3/16 | 1/8 | -271 | 9. 1/4 | 9. 1/2 | 1/8 |
| -214 | 1 | 1. 1/4 | 1/8 | -272 | 9. 1/2 | 9. 3/4 | 1/8 |
| -215 | 1. 1/16 | 1. 5/16 | 1/8 | -273 | 9. 3/4 | 10 | 1/8 |
| -216 | 1. 1/8 | 1. 3/8 | 1/8 | -274 | 10 | 10. 1/4 | 1/8 |
| -217 | 1. 3/16 | 1. 7/16 | 1/8 | -275 | 10. 1/2 | 10. 3/4 | 1/8 |
| -218 | 1. 1/4 | 1. 1/2 | 1/8 | -276 | 11 | 11. 1/4 | 1/8 |
| -219 | 1. 5/16 | 1. 9/16 | 1/8 | -277 | 11. 1/2 | 11. 3/4 | 1/8 |
| -220 | 1. 3/8 | 1. 5/8 | 1/8 | -278 | 12 | 12. 1/4 | 1/8 |
| -221 | 1. 7/16 | 1.11/16 | 1/8 | -279 | 13 | 13. 1/4 | 1/8 |
| -222 | 1. 1/2 | 1. 3/4 | 1/8 | -280 | 14 | 14. 1/4 | 1/8 |
| -223 | 1. 5/8 | 1. 7/8 | 1/8 | -281 | 15 | 15. 1/4 | 1/8 |
| -224 | 1. 3/4 | 2 | 1/8 | -325 | 1. 1/2 | 1. 7/8 | 3/16 |
| -225 | 1. 7/8 | 2. 1/8 | 1/8 | -326 | 1. 5/8 | 2 | 3/16 |
| -226 | 2 | 2. 1/4 | 1/8 | -327 | 1. 3/4 | 2. 1/8 | 3/16 |
| -227 | 2. 1/8 | 2. 3/8 | 1/8 | -328 | 1. 7/8 | 2. 1/4 | 3/16 |
| -228 | 2. 1/4 | 2. 1/2 | 1/8 | -329 | 2 | 2. 3/8 | 3/16 |
| -229 | 2. 3/8 | 2. 5/8 | 1/8 | -330 | 2. 1/8 | 2. 1/2 | 3/16 |
| -230 | 2. 1/2 | 2. 3/4 | 1/8 | -331 | 2. 1/4 | 2. 5/8 | 3/16 |
| -231 | 2. 5/8 | 2. 7/8 | 1/8 | -332 | 2. 3/8 | 2. 3/4 | 3/16 |
| -232 | 2. 3/4 | 3 | 1/8 | -333 | 2. 1/2 | 2. 7/8 | 3/16 |
| -233 | 2. 7/8 | 3. 1/8 | 1/8 | -334 | 2. 5/8 | 3 | 3/16 |
| -234 | 3 | 3. 1/4 | 1/8 | -335 | 2. 3/4 | 3. 1/8 | 3/16 |
| -235 | 3. 1/8 | 3. 3/8 | 1/8 | -336 | 2. 7/8 | 3. 1/4 | 3/16 |
| -236 | 3. 1/4 | 3. 1/2 | 1/8 | -337 | 3 | 3. 3/8 | 3/16 |
| -237 | 3. 3/8 | 3. 5/8 | 1/8 | -338 | 3. 1/8 | 3. 1/2 | 3/16 |
| -238 | 3. 1/2 | 3. 3/4 | 1/8 | -339 | 3. 1/4 | 3. 5/8 | 3/16 |
| -239 | 3. 5/8 | 3. 7/8 | 1/8 | -340 | 3. 3/8 | 3. 3/4 | 3/16 |
| -240 | 3. 3/4 | 4 | 1/8 | -341 | 3. 1/2 | 3. 7/8 | 3/16 |
| -241 | 3. 7/8 | 4. 1/8 | 1/8 | -342 | 3. 5/8 | 4 | 3/16 |
| -242 | 4 | 4. 1/4 | 1/8 | -343 | 3. 3/4 | 4. 1/8 | 3/16 |
| -243 | 4. 1/8 | 4. 3/8 | 1/8 | -344 | 3. 7/8 | 4. 1/4 | 3/16 |
| -244 | 4. 1/4 | 4. 1/2 | 1/8 | -345 | 4 | 4. 3/8 | 3/16 |
| -245 | 4. 3/8 | 4. 5/8 | 1/8 | -346 | 4. 1/8 | 4. 1/2 | 3/16 |
| -246 | 4. 1/2 | 4. 3/4 | 1/8 | -347 | 4. 1/4 | 4. 5/16 | 3/16 |
| -247 | 4. 5/8 | 4. 7/8 | 1/8 | -348 | 4. 3/8 | 4. 3/4 | 3/16 |
| -248 | 4. 3/4 | 5 | 1/8 | -349 | 4. 1/2 | 4. 7/8 | 3/16 |
| -249 | 4. 7/8 | 5. 1/8 | 1/8 | | | | |
| -250 | 5 | 5. 1/4 | 1/8 | | | | |
| -251 | 5. 1/8 | 5. 3/8 | 1/8 | | | | |
| -252 | 5. 1/4 | 5. 1/2 | 1/8 | | | | |
| -253 | 5. 3/8 | 5. 5/8 | 1/8 | | | | |
| -254 | 5. 1/2 | 5. 3/4 | 1/8 | | | | |
| -255 | 5. 5/8 | 5. 7/8 | 1/8 | | | | |
| -256 | 5. 3/4 | 6 | 1/8 | | | | |
| -257 | 5. 7/8 | 6. 1/8 | 1/8 | | | | |
| -258 | 6 | 6. 1/4 | 1/8 | | | | |
| -259 | 6. 1/4 | 6. 1/2 | 1/8 | | | | |
| -260 | 6. 1/2 | 6. 3/4 | 1/8 | | | | |

ADDITIONAL SIZES:

Section Diameter of 1/4" is also available with Internal Diameters from 4.1/2" up to 15.1/2".

METRIC 'O' RINGS

SPECIFICATIONS ARE THE SAME AS IMPERIAL O'RINGS

We have listed only those O'Rings generally available off the shelf, up to 50mm Internal Diameter. Additional sizes are available on overnight delivery, including internal diameters up to 500mm, and section thickness of 1mm, 1.5mm, 1.6mm, 1.78mm, 2.2mm, 2.4mm, 2.62mm, 3.53mm, 5.7mm, 6mm, 7mm, 8mm, and 10mm.

| TO SUIT SHAFT | | TO SUIT HOUSING | | SECTION DIA | TO SUIT SHAFT | | TO SUIT HOUSING | | SECTION DIA | | |
|---------------|----|-----------------|----|-------------|---------------|----|-----------------|----|-------------|-------|----|
| 4 | mm | 8 | mm | 2 | mm | 11 | mm | 16 | mm | 2.5mm | |
| 5 | mm | 9 | mm | 2 | mm | 12 | mm | 17 | mm | 2.5mm | |
| 6 | mm | 10 | mm | 2 | mm | 13 | mm | 18 | mm | 2.5mm | |
| 7 | mm | 11 | mm | 2 | mm | 14 | mm | 19 | mm | 2.5mm | |
| 8 | mm | 12 | mm | 2 | mm | 15 | mm | 20 | mm | 2.5mm | |
| 9 | mm | 13 | mm | 2 | mm | 16 | mm | 21 | mm | 2.5mm | |
| 10 | mm | 14 | mm | 2 | mm | 17 | mm | 22 | mm | 2.5mm | |
| 11 | mm | 15 | mm | 2 | mm | 18 | mm | 23 | mm | 2.5mm | |
| 12 | mm | 16 | mm | 2 | mm | 19 | mm | 24 | mm | 2.5mm | |
| 13 | mm | 17 | mm | 2 | mm | 20 | mm | 25 | mm | 2.5mm | |
| 14 | mm | 18 | mm | 2 | mm | 21 | mm | 26 | mm | 2.5mm | |
| 15 | mm | 19 | mm | 2 | mm | 22 | mm | 27 | mm | 2.5mm | |
| 16 | mm | 20 | mm | 2 | mm | 23 | mm | 28 | mm | 2.5mm | |
| 17 | mm | 21 | mm | 2 | mm | 24 | mm | 29 | mm | 2.5mm | |
| 18 | mm | 22 | mm | 2 | mm | 25 | mm | 30 | mm | 2.5mm | |
| 19 | mm | 23 | mm | 2 | mm | 26 | mm | 31 | mm | 2.5mm | |
| 20 | mm | 24 | mm | 2 | mm | 27 | mm | 32 | mm | 2.5mm | |
| 21 | mm | 25 | mm | 2 | mm | 28 | mm | 33 | mm | 2.5mm | |
| 22 | mm | 26 | mm | 2 | mm | 29 | mm | 34 | mm | 2.5mm | |
| 23 | mm | 27 | mm | 2 | mm | 30 | mm | 35 | mm | 2.5mm | |
| 24 | mm | 28 | mm | 2 | mm | 31 | mm | 36 | mm | 2.5mm | |
| 25 | mm | 29 | mm | 2 | mm | 32 | mm | 37 | mm | 2.5mm | |
| 26 | mm | 30 | mm | 2 | mm | 33 | mm | 38 | mm | 2.5mm | |
| 27 | mm | 31 | mm | 2 | mm | 35 | mm | 40 | mm | 2.5mm | |
| 28 | mm | 32 | mm | 2 | mm | 36 | mm | 41 | mm | 2.5mm | |
| 29 | mm | 33 | mm | 2 | mm | 38 | mm | 43 | mm | 2.5mm | |
| 30 | mm | 34 | mm | 2 | mm | 39 | mm | 44 | mm | 2.5mm | |
| 31 | mm | 35 | mm | 2 | mm | 40 | mm | 45 | mm | 2.5mm | |
| 32 | mm | 36 | mm | 2 | mm | 43 | mm | 48 | mm | 2.5mm | |
| 33 | mm | 37 | mm | 2 | mm | 45 | mm | 50 | mm | 2.5mm | |
| 34 | mm | 38 | mm | 2 | mm | 46 | mm | 51 | mm | 2.5mm | |
| 35 | mm | 39 | mm | 2 | mm | 47 | mm | 52 | mm | 2.5mm | |
| 36 | mm | 40 | mm | 2 | mm | | | | | | |
| 37 | mm | 41 | mm | 2 | mm | | | | | | |
| 38 | mm | 42 | mm | 2 | mm | | | | | | |
| 39 | mm | 43 | mm | 2 | mm | 5 | mm | 11 | mm | 3 | mm |
| 40 | mm | 44 | mm | 2 | mm | 6 | mm | 12 | mm | 3 | mm |
| 42 | mm | 46 | mm | 2 | mm | 8 | mm | 14 | mm | 3 | mm |
| 43 | mm | 47 | mm | 2 | mm | 10 | mm | 16 | mm | 3 | mm |
| 44 | mm | 48 | mm | 2 | mm | 11 | mm | 17 | mm | 3 | mm |
| 45 | mm | 49 | mm | 2 | mm | 12 | mm | 18 | mm | 3 | mm |
| 47 | mm | 51 | mm | 2 | mm | 13 | mm | 19 | mm | 3 | mm |
| 48 | mm | 52 | mm | 2 | mm | 14 | mm | 20 | mm | 3 | mm |
| 50 | mm | 54 | mm | 2 | mm | 15 | mm | 21 | mm | 3 | mm |
| | | | | | | 16 | mm | 22 | mm | 3 | mm |
| | | | | | | 17 | mm | 23 | mm | 3 | mm |
| | | | | | | 18 | mm | 24 | mm | 3 | mm |
| | | | | | | 19 | mm | 25 | mm | 3 | mm |
| | | | | | | 20 | mm | 26 | mm | 3 | mm |
| | | | | | | 21 | mm | 27 | mm | 3 | mm |
| | | | | | | 22 | mm | 28 | mm | 3 | mm |
| | | | | | | 23 | mm | 29 | mm | 3 | mm |
| | | | | | | 24 | mm | 30 | mm | 3 | mm |
| 4 | mm | 9 | mm | 2.5mm | | | | | | | |
| 5 | mm | 10 | mm | 2.5mm | | | | | | | |
| 6 | mm | 11 | mm | 2.5mm | | | | | | | |
| 7 | mm | 12 | mm | 2.5mm | | | | | | | |
| 8 | mm | 13 | mm | 2.5mm | | | | | | | |
| 9 | mm | 14 | mm | 2.5mm | | | | | | | |
| 10 | mm | 15 | mm | 2.5mm | | | | | | | |

METRIC 'O' RINGS (Continued)

| TO SUIT SHAFT | | TO SUIT HOUSING | | SECTION DIA | TO SUIT SHAFT | | TO SUIT HOUSING | | SECTION DIA |
|---------------|----|-----------------|----|-------------|---------------|----|-----------------|----|-------------|
| 25 | mm | 31 | mm | 3 mm | 24 | mm | 32 | mm | 4 mm |
| 26 | mm | 32 | mm | 3 mm | 25 | mm | 33 | mm | 4 mm |
| 27 | mm | 33 | mm | 3 mm | 26 | mm | 34 | mm | 4 mm |
| 28 | mm | 34 | mm | 3 mm | 28 | mm | 36 | mm | 4 mm |
| 29 | mm | 35 | mm | 3 mm | 30 | mm | 38 | mm | 4 mm |
| 30 | mm | 36 | mm | 3 mm | 32 | mm | 40 | mm | 4 mm |
| 31 | mm | 37 | mm | 3 mm | 34 | mm | 42 | mm | 4 mm |
| 32 | mm | 38 | mm | 3 mm | 35 | mm | 43 | mm | 4 mm |
| 33 | mm | 39 | mm | 3 mm | 36 | mm | 44 | mm | 4 mm |
| 34 | mm | 40 | mm | 3 mm | 37 | mm | 45 | mm | 4 mm |
| 35 | mm | 41 | mm | 3 mm | 38 | mm | 46 | mm | 4 mm |
| 36 | mm | 42 | mm | 3 mm | 40 | mm | 48 | mm | 4 mm |
| 37 | mm | 43 | mm | 3 mm | 42 | mm | 50 | mm | 4 mm |
| 38 | mm | 44 | mm | 3 mm | 44 | mm | 52 | mm | 4 mm |
| 39 | mm | 45 | mm | 3 mm | 45 | mm | 53 | mm | 4 mm |
| 40 | mm | 46 | mm | 3 mm | 47 | mm | 55 | mm | 4 mm |
| 42 | mm | 48 | mm | 3 mm | 48 | mm | 56 | mm | 4 mm |
| 44 | mm | 50 | mm | 3 mm | 50 | mm | 58 | mm | 4 mm |
| 45 | mm | 51 | mm | 3 mm | | | | | |
| 48 | mm | 54 | mm | 3 mm | 12 | mm | 22 | mm | 5 mm |
| 50 | mm | 56 | mm | 3 mm | 13 | mm | 23 | mm | 5 mm |
| | | | | | 15 | mm | 25 | mm | 5 mm |
| 9 | mm | 16 | mm | 3.5mm | 20 | mm | 30 | mm | 5 mm |
| 10 | mm | 17 | mm | 3.5mm | 25 | mm | 35 | mm | 5 mm |
| 13 | mm | 20 | mm | 3.5mm | 28 | mm | 38 | mm | 5 mm |
| 15 | mm | 22 | mm | 3.5mm | 30 | mm | 40 | mm | 5 mm |
| 18 | mm | 25 | mm | 3.5mm | 35 | mm | 45 | mm | 5 mm |
| 19 | mm | 26 | mm | 3.5mm | 40 | mm | 50 | mm | 5 mm |
| 20 | mm | 27 | mm | 3.5mm | 42 | mm | 52 | mm | 5 mm |
| 21 | mm | 28 | mm | 3.5mm | 45 | mm | 55 | mm | 5 mm |
| 22 | mm | 29 | mm | 3.5mm | 50 | mm | 60 | mm | 5 mm |
| 23 | mm | 30 | mm | 3.5mm | | | | | |
| 25 | mm | 32 | mm | 3.5mm | | | | | |
| 26 | mm | 33 | mm | 3.5mm | | | | | |
| 27 | mm | 34 | mm | 3.5mm | | | | | |
| 28 | mm | 35 | mm | 3.5mm | | | | | |
| 30 | mm | 37 | mm | 3.5mm | | | | | |
| 32 | mm | 39 | mm | 3.5mm | | | | | |
| 33 | mm | 40 | mm | 3.5mm | | | | | |
| 34 | mm | 41 | mm | 3.5mm | | | | | |
| 35 | mm | 42 | mm | 3.5mm | | | | | |
| 36 | mm | 43 | mm | 3.5mm | | | | | |
| 37 | mm | 44 | mm | 3.5mm | | | | | |
| 38 | mm | 45 | mm | 3.5mm | | | | | |
| 40 | mm | 47 | mm | 3.5mm | | | | | |
| 43 | mm | 50 | mm | 3.5mm | | | | | |
| 45 | mm | 52 | mm | 3.5mm | | | | | |
| 47 | mm | 54 | mm | 3.5mm | | | | | |
| 50 | mm | 57 | mm | 3.5mm | | | | | |
| | | | | | | | | | |
| 7 | mm | 15 | mm | 4 mm | | | | | |
| 8 | mm | 16 | mm | 4 mm | | | | | |
| 10 | mm | 18 | mm | 4 mm | | | | | |
| 12 | mm | 20 | mm | 4 mm | | | | | |
| 16 | mm | 24 | mm | 4 mm | | | | | |
| 18 | mm | 26 | mm | 4 mm | | | | | |
| 20 | mm | 28 | mm | 4 mm | | | | | |
| 22 | mm | 30 | mm | 4 mm | | | | | |

'O' RING CORD

| METRIC | TOLERANCE NITRILE DURO 70 | IMPERIAL | TOLERANCE NITRILE DURO 70 |
|--------|------------------------------|----------------|------------------------------|
| 1.6mm | ± .20 | 1/16" (1.78mm) | ± .20 |
| 2mm | | 3/32" (2.62mm) | ± .25 |
| 2.5mm | | 1/8" (3.53mm) | |
| 3mm | ± .25 | 3/16" (5.33mm) | ± .40 |
| 3.5mm | | 1/4" (6.99mm) | |
| 4mm | | 5/16" | |
| 4.5mm | ± .35 | 3/8" | ± .50 |
| 5mm | | 7/16" | |
| 5.5mm | | 1/2" | |
| 5.7mm | | 9/16" | |
| 6mm | | 5/8" | |
| 6.5mm | ± .40 | 3/4" | ± .70 |
| 7mm | | | |
| 7.5mm | | | |
| 8mm | | | |
| 8.4mm | | | |
| 8.5mm | | | |
| 9mm | | | |
| 9.5mm | | | |
| 10mm | | | |

