TRADE ESSENTIALS

FIRST FOR TOOLS, CONSUMABLES AND WORKSHOP EQUIPMENT

ISSUE 62

1 MAY - 31 JULY 2024



OFFICIAL SUPPLIER

Barcelona 2024



140 Piece General Service Metric Starter Kit

140 Piece Service Kit containing 1/4", 3/8" & 1/2" Socketry, Spanners, Pliers, Screwdrivers, also including the TTPS09 Tray Set with Adjustable Wrenches, Power Grip Pliers, Utility Knife, Hack Saw, Hammers, a Measuring Tape & a Steel Rule. Supplied with the 8 Series TC806NF ball bearing slide Top Box.

Code No. TC8140NF

\$1357^{.00}

\$1560.55 inc

Tool Kit Content



BONUS

11 Piece Screwdriver Set
Flat | Phillips | Pozi
Code No. MD911N



Valued at

\$126.55 inc est

IF YOU HAVEN'T GOT IT, YOU CAN'T USE IT!

THE **MEGA MASTER**[™]

TOOL KITS THAT HAVE BEEN TESTED TO THE EXTREME

- 460 piece tool kit
 - Designed with tools to suit the wide variety of vehicles on NZ roads.
 - Set includes metric & imperial sockets and spanners, pliers, screwdrivers, hammers & much much more!
 - Supplied in the 8-series TC806NF & TCW807N tool box combination, with room to expand the tool selection over time using the unique Teng Tools TC-Tray™ System... Keeping you organised!























\$4985.25 est



















ols On Th **Fully Organised Portable Tool Kits**

Robust storage that can be easily transported to any job. Tools are secure while travelling so you can reduce the risk of loosing tools or wasting time searching for missing tools. You know exactly where every tool is when you need it.





39 Pc 3/8" Dr. Metric Regular / Deep Socket Set

Code No. T3839

Regular: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 & 22mm Deep: 8, 10, 12, 13, 17 & 19mm

16 & 21mm Spark Plug Sockets

1/4" Hex Bits

4 & 5.5



(xx10, TX15 & TX20





Coupler adaptor, 1/2"Fx3/8"M T bar adptor



\$152.95 inc











21 Pc 1/2" Dr. Metric Regular Socket Set

• Flip reverse ratchet, Universal joint, 3" Wobble extension bar, 6" Extension Bar

Code No. T1221

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 30 & 32mm

\$198.95 inc

- Flip reverse ratchet, 21/2" & 6" Extension Bars Universal Joint, 3/8"Fx1/2"M T bar adotor













36 Pc 1/4" Dr. Metric Regular / Deep Socket Set

Code No. T1436

Regular: 4, 5, 5.5, 6, 7, 8, 10, 11, 12 & 13mm Deep: 6, 7, 8, 10, 12 & 13mm



TX10, TX15 & TX20





PH1 & PH2



PZI & PZ2









Socket & Tool Set

Code No. T1268


10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 27, 30 & 32mm



8, 10, 11, 12, 13, 14, 15, 16, 17 & 19mm











)TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45 & TX50



PH0, PH1, PH2 & PH3





mm

 $\,$ - Flip reverse ratchet, 2 1/2" & 6" Extension bars, Bits Driver, Magnetic Bits Holder $\$438^{15}\,^{\text{inc}}_{\,\text{est}}$

Universal Joint, 3/8"Fx1/2"M T Bar adaptor

Socket & Tool Set Code No. T3848

Metric: 8, 10, 12, 13, 14, 15, 16, 17, 18, 19 & 21mm AF: 7/16", 1/2", 9/16" & 11/16"

16 & 21mm Spark Plug Sockets

Metric: 8, 10, 12, 13, 14, 15, 16, 17, 18 & 19mm AF: 7/16", 1/2", 9/16" & 11/16"





6" Side Cutter, 7" Combination, 8" Long Nose, 10" Water Pump & 7" Curved Jaw Power Grip Pliers 8" Phosphate Finish Adjustable Wrench

Flip reverse ratchet, Universal Joint, 3" & 6" Extension bars

• Coupler Joint, 1/2"Fx3/8"M T Bar adaptor







\$532.45 inc



Mechanics Socket Set

Code No. T1244











Regular Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 & 32mm Regular AF: 3/8", 1/2", 9/16", 19/32, 11/16", 25/32", 13/16" & 1" Deep Metric: 10, 13, 17 & 19mm

16 & 21mm Spark Plug Sockets





• Flip reverse ratchet, 17" Flex Handle, 2 1/2" , 5" & 10" Extension Bars

• Universal Joint, 3/8"Fx1/2"M T Bar adaptor, 10 x 13mm Double Ring Spanner (Rigger Jigger)

Socket & Tool Set

Code No. TM095








Regular: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 & 13mm Deep: 4, 5, 6, 7, 8, 9, 10, 11, 12 & 13mm



























Accessories

Flip reverse ratchet, Universal joint, Extension bars, Sliding T-bar, Spinner handle, Coupler adaptor, Magnetic bit holder, Hex coupler, T-bar adaptor, Spark plug sockets

Socket Set


Code No. T1424











1/4" Hex Bits



PH1 & PH2







\$69.00 inc
















1/4" Hex Bits



PH1 & PH2







\$112.70 inc



A MODULAR SYSTEM TH

Our tool sets are available in different sizes (1-4 & X2-X4). These can be combined storage that is portable







Rivet Gun Set





- Hand Riveter: 4 nozzles to suit aluminium / steel blind rivets (2.4, 3.2, 4.0 & 4.8mm)
- Aluminium Rivets 20 x black 2.4mm (3/32") 20 x black 3.2mm (1/8")
- 20 x black 4.0mm (5/32")

20 x black 4.8mm (3/16")


\$159.85 inc

Torque Screwdriver Set





3, 4.5, 5.5 & 6.5



2, 3, 4, 5 & 6

ROB1, 2 & 3

TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30 & TX40

★ PZ0, PZ1, PZ2 & PZ3

TPX10, TPX15, TPX20, TPX30 & TPX40

1-5Nm Torque Screwdriver & 1/4"Mx1/4" Hex adaptor

\$238.05 inc



Ratchet & Accessories Set

• 72 Teeth Ratchet, 5" & 10" Extension Bars Universal Joint & 3/8"Fx 1/2"M T Bar Adaptor \$225.40 inc.



Socket & Accessories Set







Regular: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 & 13mm Deep: 6, 7, 8, 10, 12 & 13mm

4 & 5.5 ♣ PH1 & PH2 PZ1, & PZ2

• 72 Teeth Ratchet, Universal Joint,

6" Spinner Handle Coupler Adaptor, 2" & 4" Extension Bars, 3/8"Fx1/4"M T Bar Adaptor

\$161.00 inc











O8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 & 22mm

• 72 Teeth Ratchet, Universal Joint, 3" Wobble Extension Bar, 10" Spinner

Coupler Adaptor, 3/8"Fx1/4"M T Bar Adaptor

162.00

\$186.30 inc

Circlip Plier Set

Code No. TT474-7





Staight & Bent (Inner & Outer)

Capacity: 19-60mm

Code No. TT9116N

31.00

\$150^{.65} inc



Circlip Plier Set

Code No. TT474-7E





Staight & Bent (Inner & Outer) capacity: 19-60mm



\$211.60 inc



Ratchet Spanner Set

Code No. TT6508R





8, 10, 11, 12, 13, 14, 17 & 19mm \$332.35 inc



16 Pieces



Reg & Deep: 13, 15, 16, 17, 18, 19, 22 & 24mm

Impact Socket Set

\$196.65 inc




5, 5.5, 6, 7, 8, 10, 11, 12 & 13mm



IAT FITS ALL STORAGES

to fit perfectly into your chosen storage solution, regardless of whether you have a e, 660, 940 or 1346mm.



6" & 12" Extension Bars, Universal Joint 3" Wobble Extension Bar, 20" Extension Bar, Universal Joint, 3/8"Fx1/4"M T Bar adaptor

3" Wobble Extension Bar, 20" Extension Bar, Universal Joint

\$208.15 inc

\$136^{.85} inc

+ PHO, PH1, PH2, PH3 & PH4

TX8, TX10, TX15, TX20, TX25, TX27, TX30 & TX40

(+) PZO, PZI, PZ2 & PZ3

\$218.50 inc



F Clamp Swivel Handles

- 180° swivel handle for extra torque and fast action
- Swivelling pressure plate to grip even when tilted
 High quality construction for increased clamping strength
- Bi-material grip on the handle for a better grip



ITEM ID:	Span	Throat Depth	Bar Dimension	ex GST	inc GST
CMF25T	250mm	120mm	22 x 10.5mm	\$63.00	\$72 ^{.45}
CMF35T	300mm	100mm	25 x 12mm	\$77.00	\$88.55



Quick Action Lever Clamps

- For internal or external clamping
- Fast action lever clamp with a unique design • Powerful lever bar makes it easy to apply the
- correct clamping force

 Bottom mounted lever makes the clamp quick and comfortable to use
- Easy release button makes it equally quick and
- easy to unclamp

 Protective caps on the pressure plates to prevent damage
- Bi-material grip on the handle for a better grip

ITEM ID:	Clamping Force	Span Width	Clamping Capacity	ex GST	inc GST
СМQ150	1580N	85mm	150mm	\$26.00	\$29.90
СМQ300	1580N	85mm	300mm	\$37.00	\$42.55
СМQ450	1580N	85mm	450mm	\$38.00	\$43.70
СМQ600	1580N	85mm	600mm	\$43.00	\$49.45



Nutsert Gun

Code No. HN02



- · Aluminium alloy, forged steel upper handle with heat treated jaws
- Quick change, lockable threaded mandrels
 Mandrels for M3, M4, M5 & M6 included
- Comfortable PVC grip
 Size: M3x0.5, M4x0.7, M5x0.8 & M6x1.0

\$217.35 inc



Hand Rivet Gun

Code No. HR01



- Aluminium alloy, forged steel upper handle with heat treated jaws for durability and easier
- Comfortable PVC grip
- Length 250mm
- Aluminium & Steel 2.4, 3.2, 4.0 & 4.8mm

\$110.40 inc

F Clamp Quick Lever

- Ratchet lever mechanism for high pressure, fast action
- clamping
 The ratchet action prevents over tightening and resists vibration
- Ergonomic design lever handle with non slip release



ITEM ID:	Clamping Force	Span Width	Throat Depth	Bar Dimension	ex GST	inc GST
CMFQ20	3432N	200mm	100mm	19 x 9.5mm	\$103.00	\$118.45
CMFQ25	3922N	250mm	120mm	22 x 10.5mm	\$118.00	\$135 ^{.70}
CMFQ40	5393N	400mm	120mm	25.0 x 12.0mm	\$124.00	\$142.60

Aluminium Pipe Wrench



- · Lightweight aluminium construction
- Sturdy design with steel jaws and adjustment thread
- One hand operation

ITEM ID:	Length	Capacity	ex GST	inc GST
PWC12	300mm (12")	43mm (1 11/16")	\$42.00	\$48.30
PWC14	350mm (14")	50mm (1 31/32")	\$56.00	\$64.40
PWC24	600mm (24")	76mm (3")	\$125.00	\$143 ^{.75}
PWC36	900mm (36")	102mm (4 1/64")	\$213.00	\$244.95

Long Handled Nutsert Gun

Code No. HRLN65N



- For professional use in construction and industrial applications • Two handed grips gives a much higher capacity
- Draw rod compound action for quick loading and unloading
 Mandrels for M5, M6, M8 & M10 included
- Length 530mm
 Size M5, M6, M8 & M10

\$1167.25 inc

Hand Rivet Gun

Code No. HR12



- For professional use in metal work, industry and construction
- Comfortable PVC grip
 Aluminium & Steel 2.4, 3.2, 4.0 & 4.8mm
 Stainless Steel 2.4, 3.2 & 4.0mm

Hand Rivet Gun

- · Length 250mm



Hand Rivet Gun

Code No. HR14



- · Heavy duty steel plate construction
- · Jaw and case made from heat treated steel alloy
- Comfortable PVC grip
- Length 270mm
- Aluminium & Steel 2.4, 3.0 & 3.2mm

Code No. HR30R



For professional use in metal work, industry and construction Comfortable PVC grip

• Aluminium, Steel & Stainless Steel - 2.4, 3.0, 3.2, 4.0 & 4.8mm

while stock lasts



Air Drill

Code No. ARD13



Air consumption @ 100% int. - 140I/min (5cfm) Air consumption @ 15% int. - 21I/min (0.8 cfm)

1/2" Drive Mini Air Impact Wrench

Code No. ARWM12M



Air inlet - 1/4" Bolt capacity - M16 Free speed - 8000rpm Forward torque (3 steps) Nm - 285 / 380 / 680Nm (210 / 280 / 501ft/lb) Max. reverse torque - 770Nm Max. reverse torque - 568ft/lb Min. hose size - 3/8" Air consumption at 100% int. - 1211/min (4.3cfm) Length - 113mm





3/8in Dr. Air Impact Wrench

Code No. ARWM38



Bolt capacity - M13 Free speed - 9000rpm Forward torque (3 steps) Nm - 115 / 285 / 465 (85 / 210 / 342ft/lb) Max. reverse torque - 490Nm (361ft/lb) Min. hose size - 3/8" Air inlet - 1/4"

Air consumption at 100% int. - 105I/min (3.7cfm) Length - 159mm Weight - 1.5kg

\$379.50 GST

Air Ratchet



- Square drive 1/2'

- Bolt capacity MI3
 Free speed 160rpm
 Forward/reverse torque 95Nm (70ft-Ib)
- Sound level 92db
 Vibration 6m/s²
- Minimum hose size 3/8"
 Air inlet 1/4"

- Air consumption @ 100% int. 113.21/min (4cfm)
 Air consumption at 15% int. 171/min (0.6cfm)



\$254.15 inc

Air Die Grinder Angled

Code No. ARG02



90° Angle Collet - 6mm Free speed - 25,000rpm Sound level * - 82dB(A) Vibration ** - 5m/s² Minimum hose size - 3/8" Air inlet - 1/4"

Air consumption @ 100% int. - 1131/min (4cfm) Air consumption at 15% int. - 16.91/min (0.6cfm)

Air Saw

Code No. ARS01



- Strokes length 10mm Strokes per minute 9000bpm
- Cutting Capacity steel: 3mm aluminium: 3mm wood: 4mm
- Sound level 84db
- Vibration <2.4m/s²
 Minimum hose size 3/8"
- Air inlet 1/4"
- Air consumption @ 100% int. 311/min (1.08cfm)
 Air consumption at 15% int. 4.711/min (0.2cfm)

Air Saw

Code No. ARS02



- Strokes length 10mm Strokes per minute 9000bpm
- Cutting Capacity steel: 3mm aluminium: 3.4mm wood: 4mm
- Sound level 84.4db
- Vibration 5.26m/s²
 Minimum hose size 3/8"
- Air inlet 1/4"
- Air consumption @ 100% int. 22.94l/min (0.81cfm)
 Air consumption at 40% int. 9.18l/min (0.32cfm)

\$278.30 inc



18V Lithium Ion Cordless Grease Gun

Code No. PE3105

- Develops up to 10,000 psi
- 75g p/min. volume grease flow18V Lithium Ion battery
- Suits 450g Cartridges
- 1 hour quick charger2 x 18V Lithium Ion batteries included
- 1m heavy duty high pressure hose
- Up to 5 cartridges of grease on a single charge of the batter
- 3-Way Loading: Cartridge | Bulk Grease | Filler Pump
- · Heavy duty plastic storage case
- Shoulder strap



450g USB Rechargable Cordless Grease Gun

Code No. PE3106

- 7,000 PSI Maximum Peak Pressure
- 70g p/min Volume Grease Flow
- Pumps 3x Higher than Manual Grease Guns
- 450g(16oz) Grease Tube
 2000mAh / 12V Lithium-Ion Built-in Battery
- 5V / 3A / 15W Output
- USB Charging Cable Up to 3 Cartridges of Grease on a Single Charge of the Battery
- Compact and Lightweight

Accessories

- 290mm Flexible Hose with Spring Guard
- 100mm Steel Hose
- 4 Jaw Coupler
- Tip Nozzle



Rotary Barrel Pump with 3 Pc Rigid Suction Tube

Code No. PE3155



- Maximum Flow Rate: 37 I/min
- Pump Construction: Cast Aluminium.
 Pipe Construction: Aluminium.
- Self-Priming Pump Inlet: 1-1/4"
- Pump Outlet: 1"
- Fits 15 gallons (50L) to 55 gallons (205L) barrels.
- · Comes complete with 3 piece suction tube, filter screen, 2" NPT plastic bung nut, aluminium discharge spout & expandable output

RECOMMENDED USE - For dispensing Diesel, Kerosene, Heating Oils, Motor Oils, Lubricating Oils, and other non-corrosive media.

DO NOT USE WITH - Water Based Media, Antifreeze, Solvents, Acids &

Lever Action Barrel Pump

Code No. PF3150

This Barrel Pump is designed for fast transfer of oil based media, additives and other non-corrosive liquids from 50L to 205L drums.

- Delivers upto 250ml of liquid per stroke
- Pump Construction: Cast Aluminium
- Pipe Construction: Aluminium
- Cushioned vinyl handle

- tube for use on 50 Litre to 205 Litre barrels

RECOMMENDED USE - For dispensing oil based media, Heating Oils, Motor Oils, Lubricating Oils, Diesel & Kerosene.

DO NOT USE WITH - Water Based Media, Antifreeze, Solvents, Acids, & Gasoline.

Heavy Duty Lever Action Grease Gun

Code No. PE3110

- Develops 10 000 PSI (690 Bar)
- Carbon steel barrel and plunger
- · Vented head cap for easy filling Easy use short stroke lever action.
- Non-slip knurled barrel.
- Durable powder coated finish.
- Complete with 6" (150mm) steel extension & standard 4 jaw coupler with ball check

3-Way Loading

- · Cartridge Loading: 450gm
- Bulk Fill: 600CC
- Filler Pump Loading: 600CC



Heavy Duty Pistol Grip Grease Gun

- Develops 6,500 PSI (448 Bar)
- Carbon steel barrel and plunger
- Air bleeder valve.
- Non-slip knurled barrel.

- Durable powder coated finish.
 Complete with 12" (300mm) high pressure flexible hose & professional 4 Jaw coupler with ball check

3-Way Loading

- Cartridge Loading: 450gm
 Bulk Fill: 600CC
- Filler Pump Loading: 600CC



3V Battery Powered Syphon Pump

Code No. PE1210

- Battery Operated pump for quick & convenient transfer.
- Ideal for transferring small qty's of media.
 Suitable for use with 20 litres drums.
- Self priming pump. Works on a battery operated 3V DC motor.
- Pump is operated by pressing the on/off button located on top.
 Hanging hole at top allows pump to be conveniently stored when not in use.
- Operates on 2 "D" size (LR20) Alkaline Batteries (not included with the
 - pump). Complete with 600mm long flexible corrugated discharge hose.

RECOMMENDED USE - Petrol, Diesel, Light Oils, Water & Other Water Based Non-Corrosive Liquids.

DO NOT USE - With any media not compatible with materials used in the pump construction. Pump must never be used with acids, Acetone etc. Pump must never be used with Hot Media at Temperatures above 40°C (104°F).



Heavy Duty Syphon Pump

Code No. PE3160

- Constructed with a polypropylene head and pick-up tube
- Plunger action delivers up to 20 litres per minute
 Includes 830mm long pick-up tube and 1.2M of delivery hose.

RECOMMENDED USE - water based fluids, detergents, soaps, waxes, antifreeze & some mild acids DO NOT USE WITH - flammable liquids, concentrated acids & fluids over



Specially developed oil sorbent mat. Dimpled and perforated, single-ply sorbents. Convenient and Cost-Effective

- Size: 500 x 400 x 4mm
- · Absorbs up to 0.9 litres (300gsm)

Applications:

- For use where oil is involved: Spill response and clean up.
- Outdoor industrial applications where lint is not a concern \$21^{.00}(ex GST) \$24.15 (inc GST)
- **PE1610 -** 100 Pack \$214^{.00}(ex GST)





Removable spout is threaded for garden hose fittings Built-in 1-1/2" & 2" NPT bung nut for use on drums with either openings Comes complete with curved metal spout & self-adjusting telescopic suction

PE1602 - 10 Pack

Bench Drill Press

Code No. TD1013

FEATURES

- Quality casting, construction & componentry.
 Emergency stop.
- NVR safety switch

Each Unit Supplied With:.

- Chuck safety guard.Drill chuck & arbor.
- Drill drift (on MT models)

SPECIFICATIONS

- Drilling Capacity: 13mm (1/2")
 Chuck: 1.5-13mm B16
 Motor Power: 375W 240V

- Spindle Travel: 65mm Speed: 5 Speed 620-2620
- Swing: 260mm
- Table Size (Base Size): 200 x 200mm (340 x 210mm)
 Column Diameter: 58mm
- Height: 680mm



Pedestal Bench Drill Press

Code No. TD1316

FEATURES

Quality casting, construction & componentry. Emergency stop. NVR safety switch.

Each Unit Supplied With:.

Chuck safety guard. Drill chuck & arbor. Drill drift (on MT models)

SPECIFICATIONS

Drilling Capacity: 16mm (5/8") Spindle Taper: #2MT Chuck: 3-16mm B16 Motor Power: 375W 240V Spindle Travel: 85mm Speed: 16 Speed 180-2770 Swing: 325mm Table Size (Base Size): 290mm (420 x 250mm) Column Diameter: 72mm Height: 980mm



Pedestal Floor Drill Press

Code No. TD1316F

FEATURES

Quality casting, construction & componentry. Emergency stop NVR safety switch.

Each Unit Supplied With:.

Chuck safety guard. Drill chuck & arbor. Drill drift (on MT models)

SPECIFICATIONS

Drilling Capacity: 16mm (5/8") Spindle Taper: #2MT Chuck: 3-16mm B16 Motor Power: 550W 240V Spindle Travel: 85mm Speed: 16 Speed 180-2770 Swing: 325mm
Table Size (Base Size): 290mm (460 x 272mm) Column Diameter: 72mm Height: 1580mm





Pedestal Floor Drill Press

Code No. TD1416F

FEATURES

Quality casting, construction & componentry. Emergency stop NVR safety switch.

Each Unit Supplied With:

Chuck safety guard. Drill chuck & arbor. Drill drift (on MT models)

SPECIFICATIONS

Drilling Capacity: 16mm (5/8") Spindle Taper: #2MT Chuck: 3-16mm B16 Motor Power: 550W 240V Spindle Travel: 85mm Speed: 16 Speed 180-2770 Swing: 360mm Table Size / Base Size: 290 x 290mm (460 x 272mm) T-Slot Size: 16mm Column Diameter: 72mm Height: 1600mm



\$1118.95 inc

Pedestal Floor Drill Press

Code No. TD1420F

FEATURES

Quality casting, construction & componentry. Emergency stop. NVR safety switch.

Each Unit Supplied With:.

Chuck safety guard. Drill chuck & arbor. Drill drift (on MT models)

SPECIFICATIONS

Drilling Capacity: 20mm (3/4") Spindle Taper: #3MT Chuck: 5-20mm B22 Motor Power: 750W 240V Spindle Travel: 85mm Speed: 12 Speed 280-2380 Swing: 360mm Table Size (Base Size): 290 x 290 (460 x 272mm) Column Diameter: 80mm T-Slot Size: 16mm Height: 1600mm



Pedestal Floor Drill Press

Code No. TD1825F

FEATURES

Quality casting, construction & componentry. Emergency stop. NVR safety switch.

Each Unit Supplied With:.

Chuck safety guard. Drill chuck & arbor Drill drift (on MT models)

SPECIFICATIONS

Drilling Capacity: 25mm (1") Spindle Taper: #3MT Chuck: 5-20mm B22 Motor Power: 1500W 240V Spindle Travel: 120mm Speed: 12 Speed 150-2450 Swing: 450mm Table Size (Base Size: 350×350 / 500×375 Column Diameter (mm): 92 T-Slot Size: 14mm Height (mm): 1710






Twist Knot Cup Brushes

• Wire Diameter - 0.50mm

* Red



Twist Knot Bevel Brushes

• Wire Diameter - 0.50mm

* Red



						S. Barrer		
Part No.	Dia.	Thread	Thread Adaptor	Max RPM	ex GST	inc GST		
			STEEL WIRE					
TM7002-110	100mm	M14 x 2	M10 x 1.25 & M10 x 1.5	12,500	\$18.00	\$20.70		
TM7002-125	125mm	M14 x 2	-	12,500	\$23.00	\$26.45		
STAINLESS STEEL WIRE*								
TM7002-210*	100mm	M14 x 2	M10 x 1.25 & M10 x 1.5	12,500	\$25.00	\$28 ^{.75}		

Crimp Wire Bevel Brush Steel

- Material: Steel Wire
- Diameter: 100mm • Thread: M14 x 2
- Wire Diameter: 0.3mm
 Max RPM: 12,500



\$19.55 inc

Twist Knot Pipeline Wheel Brush

· Material: Steel Wire Wire Diameter: 0.5mm

\$27^{.00}(ex gst)

\$31^{.05}(inc gst)

TM7004-125 Max RPM: 12,500 TM7004-178 Max RPM: 9,000

\$46^{.00}(ex gst)

• Thread: 22 2mm Bore

\$52^{.90}(inc gst)



Twist Knot End Brushes

• Shank - 1/4" Round

• Max RPM - 20,000 • Wire Diameter - 0.50mm

\$12^{.00}(ex gst) \$13.80_(inc gst) TM7005-019 - 19mm Steel Wire \$16^{.00}(ex gst) \$18.40_(inc gst) TM7005-025 - 25mm Steel Wire \$21.85_(inc gst)

TM7005-125 - 25mm Stainless Steel Wire \$19.00(ex gst)

Crimp Wire End Brushes

• Shank - 1/4" Round • Style - Soild End

• Wire Diameter - 0.30mm • Max RPM - 20.000

TM7013-012 - 12mm Steel Wire TM7013-019 - 19mm Steel Wire TM7013-025 - 25mm Steel Wire

TM7013-125 - 25mm Stainless Steel Wire



Twist Knot Cup Brushes with Band

• Wire Diameter - 0.50mm



Part No.	Dia.	Thread	Thread Adaptor	Max RPM	ex GST	inc GST			
STEEL WIRE									
TM7001-065	65mm	M14 x 2	M10 x 1.25 & M10 x 1.5	12,500	\$21.00	\$24.15			
TM7001-075	75mm	M14 x 2	M10 x 1.25 & M10 x 1.5	8,500	\$29.00	\$33.35			
TM7001-100	100mm	M14 x 2	2 - 8,500 \$4		\$40.00	\$46.00			
TM7001-125	125mm	M14 x 2	-	6,500	\$63.00	\$72.45			
			STAINLESS STEEL WIRE*						
TM7001-110*	100mm	M14 x 2	-	8,500	\$74.00	\$85.10			
TM7001-175*	75mm	M14 x 2	M10 x 1.25 & M10 x 1.5	8,500	\$48.00	\$55.20			

Crimp Wire Cup Brushes

• Wire Diameter - 0.30mm



Part No.	Dia.	Thread Thread Adaptor		Max RPM	ex GST	inc GST			
STEEL WIRE									
TM7010-065	65mm	M14 x 2	M10 x 1.25 & M10 x 1.5	12,500	\$17.00	\$19.55			
TM7010-075	75mm	M14 x 2	M10 x 1.25 & M10 x 1.5	12,500	\$18.00	\$20.70			
TM7010-100	100mm	M14 x 2	-	8,500	\$22.00	\$25.30			
TM7010-125	125mm	M14 x 2	-	6,500	\$32.00	\$36.80			
			STAINLESS STEEL WIRE						
TM7010-275*	75mm	M14 x 2	M10 x 1.25 & M10 x 1.5	12,500	\$34.00	\$39.10			

Crimp Wire Wheels

Part No.	Dia.	Width	Max RPM	ex GST	inc GST				
STEEL WIRE									
TM7012-150	150mm	19mm	6,000	\$29.00	\$33.35				
TM7012-151	150mm	25mm	6,000	\$29.00	\$33.35				
TM7012-200	200mm	20mm	4,500	\$34.00	\$39.10				
TM7012-201	200mm	25mm	4,500	\$37.00	\$42.55				
TM7012-251	250mm	32mm	3,000	\$86.00	\$98.90				
	STAI	NLESS STEEL	. WIRE*						
TM7012-220*	200mm	20mm	4,500	\$96.00	\$110-40				
TM7012-415*	150mm	19mm	6,000	\$80.00	\$92.00				

- · Includes Multi Bore Adaptors • Bore Size - 32mm
- Sizes down to 1/2" Diameter
- Wire Diameter 0.30mm

Twist Knot Wheels

• Wire Diameter - 0.50mm



Part No.	Dia.	Thread	Adaptor	Max RPM	ex GST	inc GST				
			STEEL WIRE							
TM7003-100	100mm	M14 x 2	M10 x 1.25 & M10 x 1.5	20,000	\$21.00	\$24.15				
TM7003-125	125mm	M14 x 2	M10 x 1.5	12,500	\$23.00	\$26.45				
TM7003-200	200mm	22.2mm Bore	Bore Adaptor 5/8" & 1/2"	6,000	\$39.00	\$44.85				
	STAINLESS STEEL WIRE*									
TM7003-225*	125mm	22.2mm Bore	5/8"	12,500	\$53.00	\$60.95				

WIRE BRUSHES



Crimp Wire Wheel Brushes



Part No.	Dia.	Shank	Width	Wire Diameter	Max RPM	ex GST	inc GST			
STEEL WIRE										
TM7014-025	25mm	1/4" Round	6mm	0.2mm	20,000	\$5.00	\$5.75			
TM7014-030	30mm	1/4" Round	9mm	0.2mm	20,000	\$6.00	\$6.90			
TM7014-040	40mm	1/4" Round	llmm	0.2mm	20,000	\$7.00	\$8.05			
TM7014-050	50mm	1/4" Round	10mm	0.3mm	15,000	\$7.00	\$8.05			
TM7014-075	75mm	1/4" Round	18mm	0.3mm	15,000	\$11.00	\$12.65			
			STAINLES	S STEEL WIRE						
TM7014-150	50mm	1/4" Round	17mm	0.3mm	15,000	\$21.00	\$24.15			
TM7014-175	75mm	1/4" Round	18mm	0.3mm	15,000	\$23.00	\$26 ^{.45}			
			BRAS	S WIRE						
TM7014-275	75mm	1/4" Round	18mm	0.3mm	15,000	\$31.00	\$35.65			

Crimp Wire Spindle Mounted End Brushes



Part No.	Dia.	Shank	Trim	Wire Diameter	Max RPM	ex GST	inc GST		
STEEL WIRE									
TM7021-025	25mm	1/4" Hex	25mm	0.3mm	4,500	\$6.00	\$6.90		
TM7021-050	50mm	1/4" Hex	16mm	0.3mm	4,500	\$6.00	\$6.90		

3 Piece Crimp Wire Brush Kit

Code No. TM7016-003

3 Piece Kit Includes:

- 50mm Wheel Brush
- 50mm Cup Brush 25mm End Brush





6 Piece Crimp Wire Wheel Brush Kit

6 Piece Kit Includes:

- 2 x 40mm Wire Wheel Brushes
- 50mm Wire Wheel Brush63mm Wire Wheel Brush
- 75mm Wire Wheel Brush
- 50mm Cup Brush



\$20^{.70} inc

2 Piece Arbor Thread Adaptors

Pack of 2 Arbor Thread Adaptors

• M10 x 1.50



\$6.90 inc

Crimp Wire Spindle Mounted Wheel Brushes



Crimp Wire Spindle Mounted Cup Brush



Part No.	Dia.	Shank	Trim	Wire Diameter	Max RPM	ex GST	inc GST		
STEEL WIRE									
TM7021-065	65mm	1/4" Hex	18mm	0.3mm	4,500	\$7.00	\$8.05		
TM7021-075	75mm	1/4" Hex	10mm	0.3mm	4,500	\$8.00	\$9.20		

Wire Brush Red Handle - Steel Wire

- Material: Steel
- Overall Length: 265mm
- Wire Length: 25mm • Brush Length: 140mm



5 Piece Crimp Wire Brush Kit

5 Piece Kit Includes: • 50mm Cup Brush

- 75mm Cup Brush
- 50mm Wheel Brush
- 75mm Wheel Brush
- 25mm End Brush



\$25.30 inc

5 Piece Crimp Wire Wheel Brush Kit Code No. TM7016-008

5 Piece Kit Includes:

- 25mm Wire Wheel Brush
- 38mm Wire Wheel Brush 50mm Wire Wheel Brush
- 63mm Wire Wheel Brush
- 75mm Wire Wheel Brush
- 3 x Arbors



\$13.80 inc GST



10Kva Generator Petrol Construction

Code No. TM520-8000

All ITM generators are equipped with a reliable AVR (automatic voltage regulator) alternator utilising advanced electronic technology to provide a very pure energy supply with a THD (total harmonic distortion) of <5%. This clean and pure output means they are suitable to power even the most delicate electronic devices

 Powerful 4 Stroke OHV engines Digital Multimeter Display

• Low Oil Sensor

• 2 Year Trade Warranty

• Large Capacity Fuel Tanks

The Construction Series models have a simple push button electric start (battery included) with a convenient remote control which is perfect for the large property or worksite where the generator may not be close to

Complete with a heavy duty handle and wheel kit, IP66 rated power outlets & RCD (Residual Current Device.), the construction series gens are perfect for the professional tradesman needing a tough yet reliable source

SPECIFICATIONS

• Engine HP: 17HP • KVA: 10

Max Watts: 8.000

• Rated Watts: 7,500

• Noise @ 7m Full Load: 80dB

Outlets: 2 x IP66 15A

• Fuel Tank: 25L

• Running Time - 50% Load: 10 hours

Starting System: Electric w/ RemoteHandle & Wheel Kit: Yes

• Frame Dimensions: L 69.5 x W 54.5 x H 56.5cm

• Net Weight: 95kg



7.5Kva Generator Petrol with Honda Engine

Code No. TM522-6000

FEATURES

 High quality GX Series Honda powered 4 stroke engines.
 All models come complete with IP66 rated power outlets and R.C.D. (Residual Current Device), the construction series gens are perfect for the professional tradesman needing a tough yet reliable source of power

Powerful 4 stroke O.H.V. engines
 Low oil sensor.

• A.V.R. (Automatic Voltage Regulator.)

2 year trade warranty.3 year Honda engine warranty

SPECIFICATIONS

7.5KVA 13HP GENERATOR

• Max Watts: 6000

• Rated Watts: 5500 • Outlets: 2 x IP66 15A

• Engine Model: GX390

• Engine HP: 13hp

• Noise @ 7m Full Load: 78dB

• Fuel Tank: 251

• Running Time: 13 Hours

· Handle & Wheel Kit: Yes

• Net Weight: 80kg



Inverter Generator Petrol with Electric Start

Code No. TM523-4500

FEATURES

ITM inverter generators are equipped with an industrial quality engine with a sophisticated 3 way cooling system to lower the running temperature and extend engine life.

A large volume muffler increases fuel efficiency and reduces noise and a permanent magnet inverter with ESC (Engine Smart Control) intelligently controls rpm to further reduce noise and fuel consumption giving you the ideal pure sine wave generator for the busy tradesman.

Whether you take them onto the jobsite to power corded tools & machinery, use it to power your appliances and devices on your weekend camping trip or at home in emergency power outages, ITM inverter generators also have the added feature of parallel connection capability, this means that when you join any two ITM inverter generators together in parallel connection, you get the full combined rated power output whenever you need it. Keep your options open and add power as and when your demand changes.

ITM inverter generators have the power you need to keep your essential services going and are a reliable source of power in a sturdy, convenient and compact design.
• Engine Smart Control (ESC)

• 3 in 1 Multi-function Control

 Robust Construction · Low oil sensor

Meets EPA & strict Californian pollution standards

• 2 Year Warranty

SPECIFICATIONS

• Max Watts: 4,500

• Rated Watts: 3,500 • Noise : 52dB - 59dB

Outlets: 2 x 15A, 2x USB

• Fuel Tank: 10L • Running Time - 50% Load: 8 hours

• Starting System: Electric / Recoil Dimensions: L 58cm x W 44cm x H 51cm

• Net Weight: 45kg



while stock lasts

6 SMD LED Rechargeable **Inspection Lamp**

Code No. 01107

- 250Lm 3.7V 1.5Ah Rechargeable Li-ion Battery

- 240V AC Docking Charger
 Magnet on back
 3-4 Hours Work Time
- 5-6 Hours Charge Time
- Operating Temperature: -15°C To +50°C
 Material: Rubberised ABS Plastic
- Dimensions: H 295 x W 45 x L 35mm

\$20^{.70} inc

3W COB LED Inspection Headlamp

Code No. 02225



\$5.75 inc

- Lumens: 120Lm
- Max. Light Distance: 20m Modes: 100% / 50% / SOS
- Work Time: up to 6hrs @ 100% / 30hrs SOS

Note: Requires 3 x AAA batteries (not supplied)

12V LED Rechargeable Torch

Code No. Q2339

- 30 Lumens
- Light Distance: 2M
 Rechargeable Ni-Mh Batter
 12V DC Car Charger
- 6 Hours Work Time

- 5-6 Hours Charge Time
 Operating Voltage: 3.6V
 Operating Temperature: -15°C To +50°C
 Material: Aluminium
- IP20 Rated
- Dimensions: 20 v 20 v 50mm

\$4.60 inc

Rechargeable DIY/Camping Light

Code No. 03008

- ABS Housing
- PC Diffuser
- Aluminium Heat Sink
- 500Lm
- Beam anale: 120° • CT: White (6000-6500k)
- CRI:>70 Running time: 2.5 hours

Charging time: 2.5 hours
Battery capacity: 2 x 2200mAh
Battery type: Lithium
Charger Output: 12.6V, 1000mA

\$20^{.70} inc

Rechargable DIY/Camping Light

Code No. 03018

- · ABS Housing PC Diffuse
- Aluminium Heat Sink
- 16W SMD
- 11001 m
- Beam angle: 120° CT: White (6000-6500k)
- CRI:>70
- Running time: 3 hours
 Charging time: 4 hours
 Battery capacity: 4 x 2200mAh
- Battery type: Lithium
 Charger: 12.6V, 1000mA



5.00

\$51.75 inc

240V SMD LED 360° Worklight

Code No. 08075

\$51.75 inc

- IP54 Rated
- 75W SMD 52501m
- · Beam anale: 360° Colour temperature: White 6000k

- Rubber base Cable HO7RN-F 3x1.5mm² VDE 5m with plug

240V SMD LED 360° Worklight Code No. 08120

\$66.70 inc

- IP54 Rated
- 120W SMD 8400Lm 100-240V, 50-60Hz
- Beam anale: 360°
- Colour temperature: White 6000k
- Life Span: >20000h
- Rubber base
- Cable HO7RN-F 3x1.5mm² VDE 5m with plug

Synthetic Leather Bottom Bucket

Code No. ER5650T14750

- Maximum safe working capacity:
- Maximum safe tool tether anchor capacity: 9.0kg (20lbs) on each



\$32.20 inc



3 Pk Detachable Loops

Code No. ER310319068

2.00 \$3.45 inc



- Energy absorbing cord with tubular nylon webbing
 Captive eye carabineer
- Lock stitching at both ends for extra security
 Maximum safe working capacity: 2.2kg (5lbs)
- Modular connecting buckle for exchanging tools

Life Span: >20000h PC diffuser

Pull-On Wrist Lanyard with Buckle



- \$3.45 inc GST Elastic maintains snug fit
- Pull-on design is easy to take on and off
- Modular quick connecting buckle for exchanging
- multiple tools Multiple (3018)

 Compatible with ER310319069: Detachable
 Lanyard Tool Tail Loops

 Maximum safe working capacity: 1.4kg (3lbs)

S/Ab Lock Dual Carabineer



- \$17^{.25} inc Shock absorbing properties reduce the dynamic force on the body or other anchor point if drop
- Durable 1680 denier polyester elastic blended webbing extends from 96cm 178cm Ergonomic carabineer is designed for easily gripping and handling with gloves

Coiled Cable Dual S/S Carabineer

Code No. ER3130S19130



- Constructed with PU covered aircraft cable
- Stainless steel carabineers (#304)
 Coil design prevents snag and tangle hazards
- · Swivelling design prevents tangles and fast recoil

6pc Nylon Web Tool Tail

\$4.60 inc Ultra strength nylon webbing

Code No. ER370019704

Captive eye carabineer
 Maximum safe working capacity: 0.9kg / 2lbs

Coil Hard Hat Lanyard with Clamp

Code No. ER315819159 *Hard Hat not included **7**.00 \$2.30 inc

Tape Measure Trap

Code No. ER377019770

- Low profile durable plastic coil
- Low profile aurabie pisatic coil
 Easily attaches to hard hats and other headwear
 Coil design prevents snag and tangle hazards
 Quick connect clamp attaches securely to fabric
 Maximum safe working capacity: 0.9kg (2lbs)

45mm Nylon Webbing **Accessory Anchor**



- 60cm (23.5") Maximum safe working capacity: 181kg / 400lbs

2 Pc SS304 Tool Shackle Large

Code No. FR379019794 \$2.30 inc

• 1200D & 600D polyester main material

a.00 \$10.35 inc

- · Hook & loop straps secure tape measure inside trap for safe and easy tethering · Zinc-plated cast alloy D-Ring
- Stainless steel belt clip • Max. safe working capacity: 0.9kg (2lbs)

- Heavy Duty 45mm polyester webbing
 Nickel plated iron D-Ring
- 840D nylon wear protector sleeve
- Not for climbing or fall arrest

· Stainless steel (#304) material

tool

- · One step retrofit attachment for tethering point Connects around midsection of a waisted
- Secure by adding a drop of adhesive &

Squids Tape Measure Tethering



- Kit includes ER377019770: 0.9kg Tape Measure Trap • ER3130S19130: 0.9kg Dual S/S Carabineer Coil

2 Layer Head Warmer Liner

Code No. ER685016850



\$2.30 inc

- 2-Layer Cotton/Fleece • Shell: 100% cotton twill • Lining: 100% poly fleece
- Elastic gather at forehead · Hook and loop chin strap

Regular length

Warming pack pockets

3 Layer Head Warmer Liner

Fully enclosed plated D-ring for secure attachment
 High tensile strength nylon thread
 Web catch with double stitch for more durable

Used w/ Tape Trap; creates retrofit tether point
Maximum safe working capacity: 0.9kg (2lbs)

Code No. FR695016950

stop



• 3-Layer Nylon/Foam/Sher

- Shell: 100% quilted nylon
- Mid-Layer: Foam
- Lining: 100% Poly Sherpa Regular length
- Elastic gather at forehead Warming pack pockets







Code No. GKA5003



\$6.00 \$6.90 inc

500 Pc Wall Plug & Screws Kit

Code No. GKA5025



\$6.00 \$6.90 inc

770 Pc Screws, Anchors & **Washers Kit**

Code No. GKA5026



\$6.00 \$6.90 inc

800 Pc Woodscrews & Nails Kit

Code No. GKA7106



\$6.90 inc

360 Pc Pin, Hook, Nail Wire & Anchor Kit

Code No. GKA7601



\$6.00 \$6.90 inc

390 Pc Picture Hook Kit

Code No. GKA7610



6.00 \$6.90 inc

Rocker Glove 120 (Small)

Code No. KU120S



- Double stitched, driver style, easy elastic entry for quick fit.
- Clarino® synthetic leather, tough, soft & comfortable to wear, resists shrinking, stretching and hardening.

Workright Flexigrip Gloves (Medium)

Code No. KU124M



\$4.60 inc

- Padded synthetic palm material is soft and comfortable to wear.
- Flastic cuff with hook-and-loop closure and textured pull-on tab.

12 Pocket 600D Apron with Nylon Poly-web Belt

Code No. KUAP1429



• 4 main nail and tool pockets

- 6 smaller pockets, sleeves and holders for pliers, pencils, nail sets, etc.
 Center pocket for tape, nails or other tools.
- Pry bar or combination square holde

Elastic Back Support Belt



Elastic Back Support Belt 73-116cm (29-46")



Injected Gel Knee Pads

Code No. KUKPG349



around the knee

• Injected gel and PU foam for ultimate comfort.
• One size fits most.

Waterproof Cloth Tape Economy (48mm x 30M)

· An excellent combination of strength, moisture resistance &

conformability.
Superior bonding & holding power from special rubber adhesive system.



TS0118BLU - Blue

TS0118R - Red

TS0118W - White TS0118Y - Yellow

1.00 \$4.60 inc

Feeler Gauge 20 Blade



 Measuring Range: 0.05-1.00mm
 Blade Length: 100mm \$93.15 inc

\$51.75 inc

Code No. 128560109 Digital Clamp Multimeter with



520 x 4.6mm Stainless Steel Tie (GR304)

Code No. KTST52046

Grade: 304 Length: 520mm Width: 4.6mm Pack Quantity: 100 Min. Loop Tensile Strength: 45kg \$60.95 inc

Limit Clamp Multimeter AC/DC 400A (Cat III 300V)

auto range Measures DC/AC voltage, AC current, resistance. Also testing diode, continuity with buzzer, data hold, low battery capacity warning.